

Certificate of Constancy of Performance

No. 1034 – CPR – 2735/1/2020

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of March 9th, 2011 (Construction Products Regulation – CPR), the present certificate applies to the construction product

Resin-bonded particleboards

"Innovus MFC P2 FIRE X"

(Nominal thicknesses 16 to 19 mm)

laminated on both sides with melamine resin decor paper (60 g/m² to 125 g/m²)

intended for internal use as non-structural component in dry conditions

(Technical class P2 according to DIN EN 312;

Classification of fire resistance according to DIN EN 13501-1

C – s2, d0)

placed on the market and produced in the manufacturing plant by

**Sonae Arauco Deutschland GmbH
Strohmweg 1, 38489 Nettgau.**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986:2004+A1:2015

under system 1 are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

The present certificate will remain valid as long the test methods defined by the harmonised standard and/or the factory production control requirements defined by the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

The validity of the certificate will be confirmed by the certification report issued every six months by the certification laboratory.

Leipzig, February 21st, 2020



.....
Dipl.- Ing. L. Röwer
Head of Certification Laboratory