



**COMPLETE
SOLUTION**

only with AGEPAN[®]




AGEPAN[®] System Portfolio

For the entire building shell.

- + ONE PARTNER**
Efficient package solution, modular system
- + ONE SYSTEM**
Planning and processing reliability
- + ONE SOLUTION**
Technical support for planning and execution

FOR THE ENTIRE BUILDING SHELL.



**ONE PARTNER.
ONE SYSTEM.
ONE SOLUTION.**

Reduce complexity, create reliability, save time.

<p>AGEPAN® DWD protect</p>  <p>The Original.</p> <p>Stable, stiffening and load-bearing planking in roof and wall.</p> <p>1</p>	<p>AGEPAN® DWD 600</p>  <p>With increased bulk density $\geq 600 \text{ kg/m}^3$.</p> <p>Stable, stiffening and load-bearing planking in roof and wall.</p> <p>2</p>	<p>AGEPAN® DWD black</p>  <p>The black-through-coloured board, free from harmful additives.</p> <p>For ventilated curtain façades with open joints, without the need for an additional façade membrane.</p> <p>3</p>
<p>AGEPAN® DWDmax</p>  <p>The Original in large format.</p> <p>Stable, stiffening and load-bearing planking in roof and wall.</p> <p>4</p>	<p>AGEPAN® DWD fire X</p>  <p>NEW</p> <p>The fire protection board.</p> <p>For maximum safety in wall areas.</p> <p>5</p>	<p>AGEPAN® THD cover X</p>  <p>The robust insulation specialist.</p> <p>Particularly strong sarking board for roof and wall.</p> <p>6</p>
<p>AGEPAN® THDmax vario</p>  <p>The insulation specialist in big format.</p> <p>Wall cladding and insulation for ventilated façades.</p> <p>7</p>	<p>AGEPAN® UDP</p>  <p>The stable sarking board.</p> <p>Thermally insulating and sound-absorbing in roof and wall.</p> <p>8</p>	<p>AGEPAN® THD cover H</p>  <p>NEW</p> <p>The strong one among the light ones.</p> <p>Vapor-permeable sarking board with robust surface layers for roof and wall.</p> <p>9</p>
<p>AGEPAN® THD cover M</p>  <p>NEW</p> <p>The robust sarking board.</p> <p>Thermal insulation in roof and wall.</p> <p>10</p>	<p>AGEPAN® THD etics X</p>  <p>For plastered façades within ETICS.</p> <p>Highly impact- and damage-resistant.</p> <p>11</p>	<p>AGEPAN® THD etics M</p>  <p>NEW</p> <p>The plaster carrier board in the ETICS.</p> <p>Impact- and damage-resistant.</p> <p>12</p>
<p>AGEPAN® THD static</p>  <p>The load-bearing wood fibre insulation board.</p> <p>For structural use in wall applications.</p> <p>13</p>	<p>AGEPAN® THD install</p>  <p>Insulation board and pressure-resistant interior insulation.</p> <p>Extremely strong, allows direct fastening with console loads up to 25 kg per screw.</p> <p>14</p>	<p>AGEPAN® THD install pro</p>  <p>NEW</p> <p>Insulation board with pre-milled installation channels.</p> <p>Extremely high strength, allowing electrical installations without additional effort.</p> <p>15</p>
<p>AGEPAN® UDP inside</p>  <p>The practical interior board.</p> <p>Compact format, usable on both sides and suitable for plastering.</p> <p>16</p>	<p>AGEPAN® TEP</p>  <p>The dry screed board.</p> <p>Durable and fast to lay in flooring areas.</p> <p>17</p>	<p>AGEPAN® Flex</p>  <p>NEW</p> <p>Flexible wood fibre cavity insulation.</p> <p>Stable and easy-to-fit insulation for roofs, ceilings, and walls, offering excellent thermal performance.</p> <p>18</p>
<p>AGEPAN® OSB 3 Ecoboard</p>  <p>The load-bearing panel.</p> <p>For universal use in timber frame constructions with a raw density $\geq 600 \text{ kg/m}^3$.</p> <p>19</p>	<p>AGEPAN® OSB 4 Ecoboard</p>  <p>The high load-bearing panel.</p> <p>For universal use in timber frame constructions with a raw density $\geq 600 \text{ kg/m}^3$.</p> <p>20</p>	

No.	Product name	Thickness (mm)	Edge	Format (mm)	Coverage (mm)	Pieces / Pallet	Weight / Pallet*** (kg)	Raw density (kg/m³)	Thermal conductivity **** λD (W/mK)
1	AGEPAN® DWD protect	16	STD	3000 x 1247	3000 x 1247	48	1650	565	0,09
				2800 x 1196	2800 x 1196	48	1470	565	0,09
4	AGEPAN® DWDmax	16* (lgs. unbesäumt)	STD	6000 x 2550	6000 x 2500	28	3900	565	0,09
1	AGEPAN® DWD protect	16	N+F (4)	2515 x 1015	2500 x 1000	40	920	565	0,09
				2515 x 640	2500 x 625	40	580	565	0,09
				3000 x 1265	3000 x 1250	40	1370	565	0,09
2	AGEPAN® DWD 600	16	STD	3000 x 1247	3000 x 1247	48	1750	600	0,10
				2515 x 1015*	2500 x 1000	40	1010	600	0,10
				2515 x 640	2500 x 625	40	640	600	0,10
NEW 5	AGEPAN® DWD fire X ****	16	STD	3000 x 1247	3000 x 1247	48	1830	630	0,10
3	AGEPAN® DWD black	16	N+F (4)	2515 x 640	2500 x 625	40	640	600	0,10
8	AGEPAN® UDP	22, 25*, 32*	N+F (4)	2520 x 610	2500 x 590	48, 42, 33	460	270	0,051
6	AGEPAN® THD cover X	40, 60, 80	N+F (4)	1890 x 600	1875 x 585	52**, 34**, 26**	570	230	0,049
NEW 9	AGEPAN® THD cover H	60, 80	N+F (4)	1890 x 600	1875 x 585	34**, 26**	440	180	0,044
NEW 10	AGEPAN® THD cover M	60 – 200	N+F (4)	1760 x 600	1740 x 580	36, 26, 22, 18, 16, 14, 12, 10	350	140	0,040
7	AGEPAN® THDmax vario	40*, 60, 80	STD	3000 x 1250	3000 x 1250	28, 18, 14	1000	230	0,049
		40*, 60 (lengthwise unedged)	STD	6000 x 2550	6000 x 2500	16, 12	2280, 2560	230	0,049
13	AGEPAN® THD static	40, 60, 80*	STD	3000 x 1250	3000 x 1250	28, 18, 14	1240, 1200, 1240	290	0,057
16	AGEPAN® UDP inside	25	N+F (4)	1890 x 610	1870 x 590	42	350	270	0,051
14	AGEPAN® THD install	40, 60, 80	STD	2650 x 600	2650 x 600	28, 18, 14	430	230	0,049
NEW 15	AGEPAN® THD install pro	60	STD	2650 x 600	2650 x 600	12	280	230	0,049
NEW 12	AGEPAN® THD etics M	60	N+F (4)	1800 x 600	1780 x 580	36	370	160	0,040
		80 – 160	N+F (4)	1300 x 600	1275 x 575	56, 44, 36, 32, 28	560	160	0,040
11	AGEPAN® THD etics X	40, 60, 80*	N+F (4)	1890 x 600	1875 x 585	52**, 34**, 26**	570	230	0,049
NEW 18	AGEPAN® Flex	40 – 240	STD	1350 x 575	1350 x 575	112, 80, 60, 48, 40, 32, 30, 24, 24, 20, 20	200	50	0,036
17	AGEPAN® TEP	40*, 60*	STD	1890 x 500	1880 x 500	52, 34	470	230	0,049
19	AGEPAN® OSB 3 Ecoboard	12, 15, 18, 22	N+F (4)	2440 x 590	2440 x 590	80, 64, 54, 44	880	600	0,013
		12, 15, 18	N+F (2)	2440 x 1220	2440 x 1220	80, 64, 54	1790	600	0,013
		12, 15, 18, 22, 25	N+F (4)	2500 x 625	2500 x 625	80, 64, 54, 44, 39	950	600	0,013
		12, 15, 18, 22, 25, 30	N+F (4)	2500 x 675	2500 x 675	80, 64, 54, 44, 39, 32	1030	600	0,013
		15, 18, 22 (polished)	N+F (4)	2500 x 675	2500 x 675	64, 54, 44	1030	600	0,013
		12, 15, 18, 22, 25	N+F (4)	2500 x 1250	2500 x 1250	80, 64, 54, 44, 39	1880	600	0,013
		22	N+F (2)	5000 x 1250	5000 x 1250	22	1870	600	0,013
		22	N+F (2)	6250 x 675	6250 x 675	22	1270	600	0,013
		9	STD	2440 x 590	2440 x 590	160**	660	600	0,013
		9, 11, 12, 15, 18	STD	2440 x 1220	2440 x 1220	106, 88, 68, 54, 54	1790	600	0,013
		9, 10, 12, 15, 18, 22, 25	STD	2500 x 1250	2500 x 1250	106, 96, 80, 64, 54, 44, 39	1880	600	0,013
		12, 15	STD	2650 x 1250	2650 x 1250	68, 54	1670	600	0,013
		9, 12, 15	STD	2800 x 1196	2800 x 1196	90, 68, 54	1690	600	0,013
		12, 15, 18	STD	2800 x 1250	2800 x 1250	68, 54, 44	1770	600	0,013
		12, 15, 18	STD	3000 x 1250	3000 x 1250	68, 54, 44	1890	600	0,013
15, 18, 22, 25	STD	5000 x 1250	5000 x 1250	30, 26, 22, 18	1870	600	0,013		
15, 18, 22, 25	STD	5000 x 2500	5000 x 2500	16, 13, 11, 10	1930	600	0,013		
20	AGEPAN® OSB 4 Ecoboard	15, 18, 22, 25	N+F	2500 x 675	2500 x 675	64, 54, 44, 39	1050	610	0,013
		15	STD	2500 x 1250	2500 x 1250	64	1880	610	0,013
		15	STD	2650 x 1250	2650 x 1250	54	1690	610	0,013
		15	STD	2800 x 1250	2800 x 1250	54	1780	610	0,013
		15	STD	3000 x 1250	3000 x 1250	54	1910	610	0,013

Attention! All wood fibre sarking boards listed here are, according to the ZVDH guidelines, generally not considered structural components. Therefore, load transfer in the area between rafters is not permitted. In the rafter area, the products are safe to walk on. Accident prevention regulations must be strictly observed.

Only full pallets are delivered. AGEPAN® products are available with PEFC certification (PEFC/14-35-00013) upon request and subject to availability. Please specify when ordering. The instructions of use of the AGEPAN® must be observed.

* On request
 ** Double package
 *** Reference value
 **** Nominal value
 ***** Available from November 2025



SUSTAINABILITY IS A CORE PRIORITY FOR US.

Protecting the environment is part of our corporate culture. At Sonae Arauco, we are committed to the sustainable use of raw materials and actively uphold these principles throughout the entire production process. AGEPAN® products can contribute to meeting the challenges of climate change.



AGEPAN® shapes the future of building with sustainable wood fiber solutions that connect people and nature. We aim for every construction project to preserve the climate, and enhance quality of life – today and for future generations.

Compression-resistant and stable	Abrasion-resistant	Heat and cold protection	CO ₂ storage	Healthy living	Environmentally friendly	Easy to install
Formaldehyd-free glued	Recyclable	Sound insulation	Fire protection	Convincing quality	Produced in Germany	The complete solution



Use products that are certified accordingly. PEFC certified products can be delivered on demand and within availabilities. Please specify when ordering.



Product Flyer, October 2025

Product and company names in this product flyer are trade names or registered trademarks. Reproduction is permitted only with the express approval of Sonae Arauco. Sonae Arauco assumes no liability for errors or inaccuracies. This product flyer reflects the technical status at the time of printing and applies together with other AGEPAN® documents. Installation instructions and building regulations must be observed. The suitability of the material for the intended use must be verified.



www.sonaearauco.com

Your AGEPAN® partner